#### Area Name: Census Tract 7008.22, Montgomery County, Maryland

Subject	Census Tract 7008.22, Montgomery County, Maryland			
Subject	Estimate	Estimate Margin		Percent Margin
	Zotimato	of Error	1 0.00	of Error
HOUSEHOLDS BY TYPE				
Total households	624	+/- 59	100.0%	(X)
Family households (families)	374	+/- 87	59.9%	+/- 13.9
With own children under 18 years	233	+/- 79	37.3%	+/- 12.1
Married-couple family	217	+/- 59	34.8%	+/- 10.8
With own children under 18 years	111	+/- 49	17.8%	+/- 8.4
Male householder, no wife present, family	57	+/- 48	9.1%	+/- 7.4
With own children under 18 years	42	+/- 46	6.7%	+/- 7.1
Female householder, no husband present, family	100	+/- 62	16%	+/- 9.8
With own children under 18 years	80	+/- 58	12.8%	+/- 9.2
Nonfamily households	250	+/- 94	40.1%	+/- 13.9
Householder living alone	162		26%	+/- 9.4
65 years and over	23		3.7%	
Households with one or more people under 18 years	260		41.7%	+/- 12.6
Households with one or more people 65 years and over	102		16.3%	+/- 8
Trouseriolas with one of more people to years and over	102	17 43	10.070	1, 0
Average household size	2.62	+/- 0.35	(X)	(X)
Average family size	3.21	+/- 0.37	(X)	(X)
7.vorage ranny size	0.21	1, 0.01	(//)	(71)
RELATIONSHIP				
Population in households	1,637	+/- 249	100.0%	(X)
Householder	624		38.1%	+/- 5
Spouse	218		13.3%	
Child	432		26.4%	+/- 5.8
Other relatives	175		10.7%	+/- 5.8
Nonrelatives	188		11.5%	+/- 6.3
	28		1.7%	+/- 0
Unmarried partner	20	+/- 35	1.7%	+/- 2
MARITAL STATUS				
Males 15 years and over	451	+/- 112	100.0%	(X)
Never married	144		31.9%	+/- 11.3
Now married, except separated	266		59%	+/- 11.6
Separated	6		1.3%	+/- 2.3
Widowed	4		0.9%	+/- 1.6
Divorced	31		6.9%	+/- 5.3
Bivoloca	31	47-23	0.570	+/- 0.0
Females 15 years and over	776	+/- 141	100.0%	(X)
Never married	336			\ /
Now married, except separated	245		31.6%	
Separated	18		2.3%	
Widowed	74		9.5%	
	103		13.3%	
Divorced	103	+/- 00	13.3%	+/- 9
FERTILITY				
Number of women 15 to 50 years old who had a birth in the past 12 months	39	+/- 37	39	(X)
Unmarried women (widowed, divorced, and never married)	18		46.2%	` '
Per 1,000 unmarried women	47		(X)%	
Per 1,000 women 15 to 50 years old	75		(X)%	` ,
Per 1,000 women 15 to 19 years old	0		(X)%	, ,
Per 1,000 women 20 to 34 years old	118		(X)%	+/- (X)
Per 1,000 women 35 to 50 years old	63		(X)%	, ,
1 of 1,000 Wolffort ou to ou years ord	03	T/- 02	(//)/0	T/- (A)
GRANDPARENTS				
Number of grandparents living with own grandchildren under 18 years	64	+/- 49	100.0%	(X)
Responsible for grandchildren	0		0%	+/- 37
Years responsible for grandchildren	<del>                                     </del>	., 12	370	., 37
Less than 1 year	0	+/- 12	0%	+/- 37
2000 that I your		T/- 1Z	0 70	7/- 31

Area Name: Census Tract 7008.22, Montgomery County, Maryland

Subject	Census Tract 7008.22, Montgomery County, Maryland			
	Estimate	Estimate Margin	Percent	Percent Margin
		of Error		of Error
1 or 2 years	C	+/- 12	0%	+/- 37
3 or 4 years	C		0%	+/- 37
5 or more years	C	· ·	0%	+/- 37
Number of grandparents responsible for own grandchildren under 18 years	C	· ·	(X)	(X)
Who are female	C		-%	+/- **
Who are married	C	+/- 12	-%	+/- **
COULON ENDOLLMENT				
SCHOOL ENROLLMENT	324	+/- 80	100.0%	(V)
Population 3 years and over enrolled in school  Nursery school, preschool	324		100.0%	(X) +/- 11.1
	50			
Kindergarten	152		15.4% 46.9%	+/- 12.8 +/- 16.8
Elementary school (grades 1-8)  High school (grades 9-12)			9.3%	+/- 10.0
	30			
College or graduate school	58	+/- 29	17.9%	+/- 9.3
EDUCATIONAL ATTAINMENT	+			
Population 25 years and over	1,130	+/- 124	100.0%	(X)
Less than 9th grade	43		3.8%	+/- 3.4
9th to 12th grade, no diploma	22	+/- 28	1.9%	+/- 2.5
High school graduate (includes equivalency)	260	+/- 106	23%	+/- 9
Some college, no degree	258	+/- 90	22.8%	+/- 7.6
Associate's degree	52		4.6%	+/- 3.7
Bachelor's degree	194	+/- 73	17.2%	+/- 6.2
Graduate or professional degree	301	+/- 83	26.6%	+/- 7.3
Percent high school graduate or higher	(X)		94.2%	+/- 4.1
Percent bachelor's degree or higher	(X)		43.8%	+/- 7.3
VETERAN STATUS				
Civilian population 18 years and over	1,203		100.0%	(X)
Civilian veterans	17	+/- 16	1.4%	+/- 1.3
DISABILITY STATUS OF THE CIVILIAN NONINSTITUTIONALIZED				
Total Civilian Noninstitutionalized Population	1,633	+/- 249	1,633	(X)
With a disability	109		6.7%	+/- 3.3
Under 18 years	430		430	(X)
With a disability	400	+/- 7	0.9%	+/- 1.5
18 to 64 years	1,065		1,065	(X)
With a disability	69		6.5%	
65 years and over	138		138	
With a disability	36		26.1%	+/- 17.6
RESIDENCE 1 YEAR AGO				
Population 1 year and over	1,598	+/- 230	100.0%	(X)
Same house	1,385	+/- 226	86.7%	+/- 5.5
Different house in the U.S.	208	+/- 90	13%	+/- 5.5
Same county	147	+/- 101	9.2%	+/- 6.3
Different county	61	+/- 73	3.8%	+/- 4.6
Same state	17	+/- 26	1.1%	+/- 1.6
Different state	44	+/- 48	2.8%	+/- 3
Abroad	5	+/- 8	0.3%	+/- 0.5
PLACE OF BIRTH		,		
Total population	1,637		100.0%	(X)
Native	916		56%	+/- 8.6
Born in United States	905		55.3%	+/- 8.7
State of residence	386		23.6%	+/- 5.2
Different state	519	+/- 145	31.7%	+/- 8.7

#### Area Name: Census Tract 7008.22, Montgomery County, Maryland

Subject	Census 1	Census Tract 7008.22, Montgomery County, Maryland			
	Estimate	Estimate Margin		Percent Margin	
		of Error		of Error	
Born in Puerto Rico, U.S. Island areas, or born abroad to American	11	-	0.7%	+/- 0.8	
Foreign born	721	+/- 178	44%	+/- 8.6	
U.S. CITIZENSHIP STATUS				0.0	
Foreign-born population	721		100.0%	(X)	
Naturalized U.S. citizen	248		34.4%	+/- 12.9	
Not a U.S. citizen	473	+/- 179	65.6%	+/- 12.9	
YEAR OF ENTRY					
Population born outside the United States	732	+/- 181	100.0%	(X	
Native	11		11%	+/- (X)	
Entered 2010 or later	6	·	54.5%	+/- 54.5	
Entered before 2010	5		45.5%	+/- 54.5	
Foreign born	721	+/- 178	100.0%	(X)	
Entered 2010 or later	18	+/- 21	2.5%	+/- 2.9	
Entered before 2010	703	+/- 173	97.5%	+/- 2.9	
WORLD REGION OF BIRTH OF FOREIGN BORN					
Foreign-born population, excluding population born at sea	721		100.0%	(X)	
Europe	18		2.5%	+/- 2.4	
Asia	438		60.7%	+/- 15.1	
Africa	C	· ·	0%	+/- 4.4	
Oceania	C	· ·	0%	+/- 4.4	
Latin America	259		35.9%	+/- 14.6	
Northern America	6	+/- 9	0.8%	+/- 1.3	
LANGUAGE SPOKEN AT HOME					
Population 5 years and over	1,454	+/- 181	100.0%	(X)	
English only	642		44.2%	+/- 10.5	
Language other than English	812		55.8%	+/- 10.5	
Speak English less than "very well"	297		20.4%	+/- 8.5	
Spanish	327	+/- 143	22.5%	+/- 8.5	
Speak English less than "very well"	155	+/- 92	10.7%	+/- 5.9	
Other Indo-European languages	138	+/- 103	9.5%	+/- 7	
Speak English less than "very well"	35	+/- 46	2.4%	+/- 3.1	
Asian and Pacific Islander languages	347		23.9%	+/- 11.7	
Speak English less than "very well"	107	+/- 75	7.4%	+/- 5.2	
Other languages	C	-	0%	+/- 2.2	
Speak English less than "very well"	C	+/- 12	0%	+/- 2.2	
ANCESTRY		/ 2:5	100.55	2.0	
Total population	1,637		100.0%	(X)	
American	77		4.7%	+/- 3.5	
Arab	C		0%	+/- 2	
Czech  Danish	C		0% 0%	+/- 2	
Dutch	0	-	0%	+/- 2	
English	88		5.4%	+/- 2.7	
French (except Basque)	61		3.7%	+/- 3.4	
French Canadian	0		0%	+/- 2	
German	108		6.6%	+/- 5	
Greek	0		0.070	+/- 2	
Hungarian	6		0.4%	+/- 0.6	
Irish	45		2.7%	+/- 2.2	
Italian	94		5.7%	+/- 7.2	
Lithuanian	C		0%	+/- 2	
L		1			

Area Name: Census Tract 7008.22, Montgomery County, Maryland

Subject	Census Tract 7008.22, Montgomery County, Maryland			
	Estimate	Estimate Margin of Error	Percent	Percent Margin of Error
Norwegian	0	+/- 12	0%	+/- 2
Polish	5	+/- 9	0.3%	+/- 0.6
Portuguese	6	+/- 9	0.4%	+/- 0.6
Russian	15	+/- 25	0.9%	+/- 1.6
Scotch-Irish	0	+/- 12	0%	+/- 2
Scottish	13	+/- 15	0.8%	+/- 0.9
Slovak	0	+/- 12	0%	+/- 2
Subsaharan African	85	+/- 71	5.2%	+/- 4.5
Swedish	0	+/- 12	0%	+/- 2
Swiss	0	+/- 12	0%	+/- 2
Ukrainian	0	+/- 12	0%	+/- 2
Welsh	0	+/- 12	0%	+/- 2
West Indian (excluding Hispanic origin groups)	0	+/- 12	0%	+/- 2
COMPUTERS AND INTERNET USE				
Total Households	(X)	(X)	(X)	(X)
With a computer	(X)	(X)	(X)	(X)
With a broadband Internet subscription	(X)	(X)	(X)	(X)

Data are based on a sample and are subject to sampling variability. The degree of uncertainty for an estimate arising from sampling variability is represented through the use of a margin of error. The value shown here is the 90 percent margin of error. The margin of error can be interpreted roughly as providing a 90 percent probability that the interval defined by the estimate minus the margin of error and the estimate plus the margin of error (the lower and upper confidence bounds) contains the true value. In addition to sampling variability, the ACS estimates are subject to nonsampling error (for a discussion of nonsampling variability, see Accuracy of the Data). The effect of nonsampling error is not represented in these tables.

Fertility data are not available for certain geographic areas due to problems with data collection. See Errata Note #92 for details.

Methodological changes to data collection in 2013 may have affected language data for 2013. Users should be aware of these changes when using multi-year data containing data from 2013.

The Census Bureau introduced a new set of disability questions in the 2008 ACS questionnaire. Accordingly, comparisons of disability data from 2008 or later with data from prior years are not recommended. For more information on these questions and their evaluation in the 2006 ACS Content Test, see the Evaluation Report Covering Disability.

While the 2010-2014 American Community Survey (ACS) data generally reflect the February 2013 Office of Management and Budget (OMB) definitions of metropolitan and micropolitan statistical areas; in certain instances the names, codes, and boundaries of the principal cities shown in ACS tables may differ from the OMB definitions due to differences in the effective dates of the geographic entities.

Estimates of urban and rural population, housing units, and characteristics reflect boundaries of urban areas defined based on Census 2010 data. As a result, data for urban and rural areas from the ACS do not necessarily reflect the results of ongoing urbanization.

Source: U.S. Census Bureau, 2010-2014 American Community Survey 5-Year Estimates

#### Explanation of Symbols:

- 1. An '\*\*' entry in the margin of error column indicates that either no sample observations or too few sample observations were available to compute a standard error and thus the margin of error. A statistical test is not appropriate.
- 2. An '-' entry in the estimate column indicates that either no sample observations or too few sample observations were available to compute an estimate, or a ratio of medians cannot be calculated because one or both of the median estimates falls in the lowest interval or upper interval of an open-ended distribution.
  - 3. An '-' following a median estimate means the median falls in the lowest interval of an open-ended distribution.
- 4. An '+' following a median estimate means the median falls in the upper interval of an open-ended distribution.
- 5. An '\*\*\*' entry in the margin of error column indicates that the median falls in the lowest interval or upper interval of an open-ended distribution. A statistical test is not appropriate.
- 6. An '\*\*\*\*\*' entry in the margin of error column indicates that the estimate is controlled. A statistical test for sampling variability is not appropriate.
- 7. An 'N' entry in the estimate and margin of error columns indicates that data for this geographic area cannot be displayed because the number of sample cases is too small.
  - 8. An '(X)' means that the estimate is not applicable or not available.